



## **Request for Proposal**

The City of Conway is soliciting Bids/Proposals for the following listed below: (Please note when a specific item is requested there can be no substitutions without the full knowledge and consent of city representatives).

The City of Conway is accepting proposals for Softball Field Site Prep. All Proposals need to be submitted to Ken Senn P.O. Drawer 1075, Conway S.C. 29528 or hand delivered to 2940 Jerry Barnhill Blvd., Conway, S.C. 29527 no later than Wednesday, March 6, 2019, by 11:30 AM. Bids need to be good for 45 days. If you have any questions you can contact Ken Senn at 843-397-2539.

Please complete the attached bid proposal with specifications.

### **Acceptance or Rejection of Proposal:**

The City of Conway reserves the right to reject any and/or all proposals when such rejection is in the best interest of the City of Conway to reject Proposal of Bidder who has not met the prerequisites on the bid proposal, who has previously failed to perform properly or complete on time contracts of a similar nature; and to reject proposal of bidder is, in the opinion of the City of Conway, in a perform contract. The City of Conway also reserves the right to waive any information and technicalities in bidding. All bidders must have a city license, as required by city ordinances, in order to participate in the bidding process. **THE CITY OF CONWAY RESERVES THE RIGHT TO WAIVE IRREGULARITIES AND TO REJECT ANY AND ALL BIDS.**

## Site Prep for Softball Infield

- Site preparation including removal of any vegetation and debris from existing surface to 6" depth and prepare sub-grade for construction of infield skin area
- Addition of screened 60/40 sand/clay infield mix along with calcined clay soil conditioner at manufacturers recommended rate. New materials will be blended to 5 – 6" depth
- Infield skin areas graded using laser leveling equipment and rolled with dual smooth drum roller for proper compaction and to insure optimum playability and positive drainage when project is completed.
- Pitcher's plate and homeplate areas will be established at the proper distance according to specifications for particular levels of play. Moundmaster clay brick to be installed at proper depth in batter's boxes, catcher's boxes, and pitcher's plate areas to help reduce common maintenance issues.
- Base anchors to be installed at requested distances and at proper heights.
- Infield size is based on 60' Base Paths.

**Total Price** \_\_\_\_\_

**Time Table to have work completed from time bid is awarded** \_\_\_\_\_

**Company Name** \_\_\_\_\_

**Contact Person** \_\_\_\_\_

**Address** \_\_\_\_\_

**Email Address** \_\_\_\_\_

**Phone Number** \_\_\_\_\_

**Representative Signature** \_\_\_\_\_